



LOMOLY
c e r a m i c

LOMOLY TILES THAT MEETS YOUR NEEDS

**600X
1200 MM**

**MATT
SERIES**



Matt
S E R I E S

600
x1200mm



APPLICATION



COMMERCIAL
BUILDING



HOTEL &
RESTAURANT



GYMNASIUM



HALL &
CARRIDOR



AIRPORT



SCHOOL &
COLLEGE



INDUSTRY



SPA & WELLNESS
CENTRES

These are the most common
type of surfaces used for your place.

FEATURES



HIGH
STRENGTH



CHEMICAL
RESISTANCE



STAIN
RESISTANT



EASY
TO CLEAN



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



SLIP
RESISTANT




ECO
FRIENDLY

Here are a few of the main features that
make these tiles a practical yet versatile stylish option.





FASCINATION with DESIGN



Apolima Natural

FINISH : MATT

Technology - Durst print

Type - pgvt

Thickness - 8.5mm


POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION^{with} DESIGN



Arador Beige

FINISH : MATT

Technology - Durst print

Type - pgvt

Thickness - 8.5mm

POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION^{with} DESIGN



Argos Grey

FINISH : MATT

Technology - Durst print

Type - pgvt

Thickness - 8.5mm


POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION^{with} DESIGN



Barkwood Brown

FINISH : MATT

Technology - Durst print

Type - pgvt

Thickness - 8.5mm


POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION with DESIGN



Camilo Brown

FINISH : MATT

Technology - Durst print

Type - pgvt

Thickness - 8.5mm


POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION^{with} DESIGN



Ebano Feet

FINISH : MATT

Technology - Durst print

Type - pgtv

Thickness - 8.5mm




POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION^{with} DESIGN



Galicia Sanddune

FINISH : MATT

Technology - Durst print

Type - pgvt

Thickness - 8.5mm

POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION with DESIGN



Genova Beige

FINISH : MATT

Technology - Durst print

Type - pgvt

Thickness - 8.5mm

POSH
SURFACE

600x
1200mm
Random - 4





Lithia Natural

FINISH : **MATT**

Technology - Durst print

Type - pgvt

Thickness - 8.5mm

POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION with DESIGN



Lonza Crema

FINISH : MATT

Technology - Durst print

Type - pgvt

Thickness - 8.5mm

POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION with DESIGN



Madura

FINISH : MATT

Technology - Durst print

Type - pgvt

Thickness - 8.5mm

POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION with DESIGN



Modena Slate

FINISH : MATT

Technology - Durst print

Type - pgvt

Thickness - 8.5mm

POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION^{with} DESIGN



Moskat Multi

FINISH : MATT

Technology - Durst print


Type - pgvt

Thickness - 8.5mm


POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION^{with} DESIGN



Myra Grey

FINISH : MATT

Technology - Durst print

Type - pgvt

Thickness - 8.5mm

POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION^{with} DESIGN



Oyster Wood

FINISH : MATT

Technology - Durst print

Type - pgvt

Thickness - 8.5mm

POSH
SURFACE

600x
1200mm

Random - 4





FASCINATION with DESIGN



Sandstone crema

FINISH : **MATT**

Technology - Durst print

Type - pgvt

Thickness - 8.5mm


POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION with DESIGN



Sandstone nero

FINISH : MATT

Technology - Durst print

Type - pgvt

Thickness - 8.5mm


POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION with DESIGN



Smoky Grey

FINISH : **MATT**

Technology - Durst print

Type - pgvt

Thickness - 8.5mm


POSH
SURFACE

600x
1200mm
Random - 4





FASCINATION with DESIGN



Tesser Beige

FINISH : **MATT**

Technology - Durst print

Type - pgvt

Thickness - 8.5mm

POSH
SURFACE

600x
1200mm
Random - 4

TECHNICAL SPECIFICATION

TEST DISCRIPTION	STANDARD AS PER IOS-13006/EN177 GROUP BIB	MEAN VALUE
Deviation in length & width	±0.6 %	±0.3 %
Deviation in thickness	±5.0 %	±4.0 %
Straightness in side	±0.5 %	±0.1 %
Rectangularity	±0.5 %	±0.1 %
Surface flatness	±0.5 %	±0.2 %
Color difference	Unaltered	No change
Glossiness	As per mfg.	10-40 (As per surface)
Water absorption	≤ 0.05 %	≤ 0.05 %
Modulus of rupture	Min. 35 N/mm ²	Min. 35 N/mm ²
Impact resistance	As per mfg.	Min. 0.55 Porcelain
Surface abrasion resistance	As per mfg.	PEI II-V
MOH's hardness	As per mfg.	Min. 7
Frost resistance	No damage	No damage
Thermal shock resistance	No damage	No damage
Moisture expansion	Nil	Nil
Chemical resistance	No damage	No damage
Stain resistance	Resistant	Resistant
Crazing resistance	As per mfg.	2 Cycle

PACKING DETAIL

Size	Thickness (approx.)	Pieces / Box	Area / Box	Wt./Box (approx.)
600x1200mm	8.5 mm	2 pcs.	1.44 sq. mtr.	28 kgs.



8A National Highway, Near Lalpar Village
Morbi-363642, Gujarat, India



info@lomolyceramic.com



www.lomolyceramic.com



+917990869064

FOLLOW US

