


**600X  
1200 MM**

**BOOK  
MATCH**





**Book Match**  
600x1200mm



**600x1200mm**

## GLOSSY FINISH

Glossy finish tiles have a stunning mirror-like sheen. Their reflective surface bounces light all around the space, making the room seem bigger and brighter.



## APPLICATION

---



COMMERCIAL  
BUILDING



HOTEL &  
RESTAURANT



GYMNASIUM



HALL &  
CARRIDOR



AIRPORT



SCHOOL &  
COLLEGE



INDUSTRY



SPA & WELLNESS  
CENTRES

These are the most common  
type of surfaces used for your place.

## FEATURES

---



HIGH  
STRENGTH



CHEMICAL  
RESISTANCE




STAIN  
RESISTANT



EASY  
TO CLEAN



EASY  
MAINTENANCE



DIMENSIONAL  
STABILITY



SLIP  
RESISTANT




ECO  
FRIENDLY

Here are a few of the main features that  
make these tiles a practical yet versatile stylish option.



Book Match tiles are created when two marble slabs are placed facing each other, giving the impression of an open book.



# ONYX ICE

SIZE  
600X1200 MM

FINISH  
GLOSSY

RANDOM : 2



**ONYX ICE**

SIZE  
**600X1200 MM**

FINISH  
**GLOSSY**



# ONYX JADE

SIZE  
**600X1200 MM**

FINISH  
**GLOSSY**



RANDOM : 1



**ONYX JADE**

SIZE  
**600X1200 MM**

FINISH  
**GLOSSY**



## REGAL STATUARIO CLASSIC

SIZE  
**600X1200 MM**

FINISH  
**GLOSSY**

RANDOM : 1



# REGAL SATUARIO CLASSIC

SIZE  
600X1200 MM

FINISH  
GLOSSY



## CAMRON BEIGE

SIZE  
**600X1200 MM**

FINISH  
**GLOSSY**



RANDOM : 5



**CAMRON BEIGE**

SIZE  
**600X1200 MM**

FINISH  
**GLOSSY**



# MAXIMUS STATUARIO

SIZE  
**600X1200 MM**

FINISH  
**GLOSSY**

RANDOM : 5



# MAXIMUS STATUARIO

SIZE  
600X1200 MM

FINISH  
GLOSSY



# SPARKLE NATURAL

SIZE  
**600X1200 MM**

FINISH  
**GLOSSY**

RANDOM : 1



**SPARKLE NATURAL**

SIZE  
**600X1200 MM**

FINISH  
**GLOSSY**



# BRECCIA AURORA

SIZE  
**600X1200 MM**

FINISH  
**GLOSSY**

RANDOM : 5



**BRECCIA AURORA**

SIZE  
**600X1200 MM**

FINISH  
**GLOSSY**

# TECHNICAL SPECIFICATION

TEST DISCRIPTION	STANDARD AS PER IOS-13006/EN177 GROUP BIB	MEAN VALUE
Deviation in length & width	±0.6 %	±0.3 %
Deviation in thickness	±5.0 %	±4.0 %
Straightness in side	±0.5 %	±0.1 %
Rectangularity	±0.5 %	±0.1 %
Surface flatness	±0.5 %	±0.2 %
Color difference	Unaltered	No change
Glossiness	As per mfg.	10-40 (As per surface)
Water absorption	≤ 0.05 %	≤ 0.05 %
Modulus of rapture	Min. 35 N/mm <sup>2</sup>	Min. 35 N/mm <sup>2</sup>
Impact resistance	As per mfg.	Min. 0.55 Porcelain
Surface abrasion resistance	As per mfg.	PEI II-V
MOH's hardness	As per mfg.	Min. 7
Frost resistance	No damage	No damage
Thermal shock resistance	No damage	No damage
Moisture expansion	Nil	Nil
Chemical resistance	No damage	No damage
Stain resistance	Resistant	Resistant
Crazing resistance	As per mfg.	2 Cycle

## PACKING DETAIL

Size	Thickness (approx.)	Pieces / Box	Area / Box	Wt./Box (approx.)
600x1200mm	9 mm	2 pcs.	1.44 sq. mtr.	28 kgs.



8A National Highway, Near Lalpar Village  
Morbi-363642, Gujarat, India



[info@lomolyceramic.com](mailto:info@lomolyceramic.com)



[www.lomolyceramic.com](http://www.lomolyceramic.com)



+917990869064

**FOLLOW US**

